

GOVDOC

M3/D16

RA

97/4

BOSTON PUBLIC LIBRARY



3 9999 06586 719 2

BOSTON PUBLIC
LIBRARY

Form No. 1374—5/75

DRAFT

Text Amendment Application No.
Boston Redevelopment Authority
Bay Village Neighborhood District

TO THE ZONING COMMISSION OF THE CITY OF BOSTON:

The Boston Redevelopment Authority petitions to amend the text of the Boston Zoning Code, as established under Chapter 665 of the Acts of 1956 as amended, as follows:

By inserting the following article:

ARTICLE BV

BAY VILLAGE NEIGHBORHOOD DISTRICT

TABLE OF CONTENTS

Section	BV-1	Statement of Purpose, Goals, and Objectives
	BV-2	Physical Boundaries
	BV-3	Applicability
	BV-4	Prohibition of Planned Development Areas
	BV-5	Community Participation

REGULATIONS APPLICABLE IN RESIDENTIAL SUBDISTRICTS

Section	BV-6	Establishment of Residential Subdistricts
	BV-7	Use Regulations Applicable in Residential Subdistricts
	BV-8	Dimensional Regulations Applicable in Residential Subdistricts
	BV-9	Density Limitation Regulations

REGULATIONS APPLICABLE IN NEIGHBORHOOD BUSINESS SUBDISTRICTS

Section	BV-10	Establishment of Neighborhood Business Subdistricts
	BV-11	Use Regulations Applicable in Neighborhood Business Subdistricts
	BV-12	Dimensional Regulations Applicable in Neighborhood Business Subdistricts

DRAFT

REGULATIONS APPLICABLE IN OPEN SPACE SUBDISTRICTS

Section BV-13 Establishment of Open Space Subdistricts

REGULATIONS APPLICABLE IN OVERLAY DISTRICTS

Section BV-14 Establishment of Neighborhood Design Overlay Districts

REGULATIONS GOVERNING DESIGN

Section BV-15 Design Review and Design Guidelines
BV-16 Roof Structure Restrictions
BV-17 Specific Design Requirements
BV-18 Screening and Buffering Requirements

MISCELLANEOUS PROVISIONS

Section BV-19 Sign Regulations
BV-20 Off-Street Parking and Loading Requirements
BV-21 Application of Dimensional Requirements
BV-22 Nonconformity as to Dimensional Requirements
BV-23 Regulations
BV-24 Severability
BV-25 Definitions
BV-26 Tables

SECTION BV-1. Statement of Purpose and Objectives. The purpose of this Article is to establish the zoning regulations for the Bay Village Neighborhood District. The objectives of this Article are to provide adequate density controls that protect established residential areas and encourage residential development; to promote the viable neighborhood economy; to preserve, maintain and create open space; to protect the environment and improve the quality of life; to promote the most appropriate use of land; and to promote the public safety, health, and welfare of the people of Boston.

SECTION BV-2. Physical Boundaries. The provisions of this Article are applicable only in the Bay Village Neighborhood District. The boundaries of the Bay Village Neighborhood District and its subdistricts are as shown on the map numbered __ entitled "Bay Village Neighborhood District," amending "Map 1 Boston Proper," of the series of maps entitled "Zoning Districts City of Boston," as amended.

SECTION BV-3. Applicability. This Article together with the rest of this Code constitutes the zoning regulation for the Bay Village Neighborhood District and applies as specified in Section 4-1 regarding the conformity of buildings and land to this Code. Zoning relief in the form of exceptions from the provisions of this Article pursuant to Article 6A, is not available except to the extent expressly provided in this Article or Article 6A. Where conflicts exist between the provisions of this Article and

the remainder of the Code, the provisions of this Article shall govern. Except where specifically indicated in this Article, the provisions of this Article supersede Section 8-7 and Articles 13 through 24 of this Code for the Bay Village Neighborhood District. A Proposed Project shall be exempt from the provisions of this Article, and shall be governed by the rest of this Code, if application to the Inspectional Services Department for a building or use permit has been made prior to the first notice of hearing before the Zoning Commission for adoption of this Article, and (1) no Zoning Relief is required, or (2) any required Zoning Relief thereafter is granted by the Board of Appeal; provided that construction work under such building permit, or occupancy under such occupancy permit, as the case may be, is commenced within six (6) months of the date of such permit and proceeds in good faith continuously so far as is reasonably practicable under the circumstances.

SECTION BV-4. Prohibition of Planned Development Areas. Within the Bay Village Neighborhood District, no Planned Development Area shall be permitted.

SECTION BV-5. Community Participation. This Article has been developed with the extensive participation of the Bay Village Neighborhood Association, civic associations, business groups, and residents. The role of community participation in determining appropriate land use regulations and zoning is critical to the success of any zoning article or development plan. To continue that

role, the Bay Village Neighborhood Association, or its successor organization, and the Bay Village civic associations, residents, business and trade groups shall continue to play an ongoing role in advising the City on land use planning for Bay Village.

REGULATIONS APPLICABLE IN RESIDENTIAL SUBDISTRICTS

SECTION BV-6. **Establishment of Residential Subdistricts.** This

Section BV-6 establishes Residential Subdistricts within the Bay Village Neighborhood District. The purpose of the Residential Subdistricts is to maintain, enhance, and promote the character of the residential neighborhoods in terms of density, housing type, and design; to provide for low- and medium-density multifamily housing appropriate to the existing built environment; and to encourage appropriate development that enhances the Residential Subdistricts while preventing overdevelopment.

The following Residential Subdistricts are established:

1. Row House ("RH") Residential Subdistricts. Row House Subdistricts are established to preserve, maintain, and promote the existing fabric of Row House neighborhoods by allowing Row Houses and Town Houses as the sole housing types. In a Row House Residential Subdistrict, the maximum number of Dwelling Units allowed in a single Building, including a Town House Building or Row House Building, is three (3).
2. Multifamily Residential ("MFR") Subdistricts. Multifamily Residential ("MFR") Subdistricts are established to encourage low to medium density multifamily areas with a variety of allowed housing types,

including one-, two- and three-family Dwellings, Row Houses, Town Houses, and Multifamily Dwellings.

3. Multifamily Residential/Local Services ("MFR/LS") Subdistricts.

Multifamily Residential/Local Services ("MFR/LS") Subdistricts are established to encourage medium-density multifamily areas with a variety of allowed housing types, including one-, two-, and three-family Dwellings, Row Houses, Town Houses, Multifamily Dwellings and commercial uses.

SECTION BV-7. Use Regulations Applicable in Residential Subdistricts.

1. Within the Residential Subdistricts, no land or Structure shall be erected, used, or arranged or designed to be used, in whole or in part, unless, for the proposed location of such use, the use is identified in said Table A of this Article as "A" (allowed) or as "C" (conditional). Any use identified as conditional in Table A is subject to the provisions of Article 6. Any use identified as "F" (forbidden) in Table A for the proposed location of such use is forbidden in such location. Any use not included in Table A is forbidden in the Residential Subdistricts.

2. Basement Units: Notwithstanding any contrary provision of this Article or Code, Dwelling Units in Basements are forbidden in the Bay Village Neighborhood District.

SECTION BV-8. Dimensional Regulations Applicable in Residential Subdistricts.

1. Lot Area, Lot Width, Lot Frontage, Usable Open Space, Yard, Building Height and FAR Requirements. The minimum Lot Area, Lot Width, Lot Frontage, Usable Open Space per Dwelling Unit, Front Yard, Side Yard, and Rear Yard required for any Lot in a Residential Subdistrict, and the maximum allowed Building Height and Floor Area Ratio for such Lot, are set forth in Table B of this Article.
2. Location of Parking. Accessory off-street parking in the Residential Subdistricts shall not be located in any part of the Front Yards required by this Article, as set forth in Table C.
3. Location of Main Entrance. Within the Residential Subdistricts, the main entrance of a Dwelling shall face the Front Lot Line.
4. Town House/Row House Extensions into Rear Yard. Notwithstanding any contrary provision of this Article or Code, any Proposed Project

that otherwise meets the applicable use and dimensional requirements of this Article shall be conditional if such Proposed Project involves the extension of a Town House or Row House into a rear yard, where such extension: (a) increases the gross floor area of such Town House or Row House by fifty (50) or more square feet; or (b) involves the addition of a porch or balcony, other than a roof deck, above the first story.

SECTION BV-9. Density Limitation Regulations. Within the Residential Subdistricts in the Bay Village Neighborhood District, the following regulations shall apply:

1. Dwellings Converted for Additional Units. For any Dwelling converted for more families in separate Dwelling Units, the maximum number of Dwelling Units with usable interior living area of (1) less than 750 feet square feet, in a building having a gross floor area of 2,000 or more square feet, or (2) less than 525 square feet, in a building having a gross floor area of less than 2,000 square feet, is as follows, unless after public notice and hearing and subject to the provisions of Sections 6-2, 6-3, and 6-4 the Board of Appeal grants permission for a larger number: one such unit, if the number of stories containing Dwelling Units is one to five inclusive; two such units, if the number of stories containing Dwelling Units is six or more.

2. Lodging Houses Converted for Separate Dwelling Units. For any Lodging House converted for three or more families in separate Dwelling Units, the maximum number of Dwelling Units with usable interior living area of (1) less than 750 square feet, in a building having a gross floor area of 2,000 or more square feet, or (2) less than 525 square feet, in a building having a gross floor area of less than 2,000 square feet, is as follows, unless after public notice and hearing and subject to the provisions of Sections 6-2, 6-3, and 6-4 the Board of Appeal grants permission for a larger number: one such unit, if the number of stories containing Dwelling Units is one to five inclusive; two such units, if the number of stories containing Dwelling Units is six or more.

For purposes of this Section BV-9, usable interior living area is the area of a Dwelling Unit as measured by the interior faces of the walls of the unit, but excluding therefrom any areas excluded from gross floor area as defined in Article 2A, and also excluding any open space or open porches, balconies or decks.

REGULATIONS APPLICABLE IN NEIGHBORHOOD BUSINESS SUBDISTRICTS

SECTION BV-10. **Establishment of Neighborhood Business Subdistricts.**

This Section BV-10 establishes Neighborhood Business Subdistricts within the Bay Village Neighborhood District. There is one type of Neighborhood Business Subdistrict: Neighborhood Shopping ("NS"), providing convenience goods and services for the immediate and larger neighborhood. Neighborhood Business Subdistricts are established to encourage the development of neighborhood businesses that provide essential goods and services as well as jobs and entrepreneurial opportunities for the Bay Village community.

The physical character and visual image of Bay Village's commercial districts is critical to its success. Appropriate signage, screening and buffering, and design guidelines and requirements, as provided in other sections of this Article, are vital to creating and reinforcing a positive image of the Neighborhood Business Subdistrict.

The following Neighborhood Business Subdistrict is established:

1. Bay Village Neighborhood Shopping (NS) Subdistrict

SECTION BV-11. Use Regulations Applicable in Neighborhood Business Subdistricts. Within a Neighborhood Business Subdistrict, no land or structure shall be erected, used, or arranged or designed to be used, in whole or in part, unless, for the proposed location of such use, the use is identified in Table A of this Article as "A" (allowed) or as "C" (conditional). Any use identified as conditional in

Table A is subject to the provisions of Article 6. Any use identified as "F" (forbidden) in Table A for the proposed location of such use is forbidden in such location. Any use not included in Table A is forbidden in a Neighborhood Business Subdistrict.

SECTION BV-12. Dimensional Regulations Applicable in Neighborhood Business Subdistricts. The minimum allowed Lot Size, Lot Width, Lot Frontage, Front Yard, Side Yard, Rear Yard, and Usable Open Space required for any Lot in a Neighborhood Business Subdistrict, and the maximum allowed Floor Area Ratio and Building Height for such Lot, are set forth in Table B of this Article.

REGULATIONS APPLICABLE IN OPEN SPACE SUBDISTRICTS

SECTION BV-13. **Establishment of Open Space Subdistricts.** This

Section BV-13 establishes Open Space ("OS") Subdistricts in the Bay Village Neighborhood District. The purpose of the Open Space Subdistricts is to enhance the quality of life for Bay Village's residents by protecting open space resources.

Any Lot within an Open Space Subdistrict is subject to the applicable provisions of this Code, including without limitation Article 33 (Open Space Subdistricts). The Open Space Subdistricts designated in the Bay Village Neighborhood District are listed in Table 1 of this Section BV-13 and are of the following types:

1. Urban Plaza Open Space (OS-UP) Subdistrict. Urban Plaza Open Space Subdistricts shall consist of land appropriate for passive recreational uses and are subject to the provisions of Section 33-15.

TABLE 1

Open Space Subdistricts in the Bay Village Neighborhood District

<u>Designation</u>	<u>Location/Name</u>
Urban Plaza	Church Street Urban Plaza Station Urban Plaza Bay Village Neighborhood Park

REGULATIONS APPLICABLE IN OVERLAY DISTRICTS

SECTION BV-14. **Establishment of Neighborhood Design Overlay**

Districts. The Bay Village Neighborhood District includes land designated by the Boston Landmarks Commission as the Bay Village Historic District, pursuant to Chapter 772 of the Acts of 1975, which is subject to standards and criteria administered by the Boston Landmarks Commission. In addition, this Section BV-14 establishes Neighborhood Design Overlay Districts ("NDOD") as overlays to certain subdistricts within the Bay Village Neighborhood District. The Neighborhood Design Overlay Districts are established to protect the existing scale, quality of the pedestrian environment, character of the residential neighborhoods, and concentrations of historic buildings within the Neighborhood Design Overlay Districts where the standards and criteria administered by the Boston Landmarks Commission do not apply.

For applicability of the Design Component of Small Project Review to Proposed Projects in Neighborhood Design Overlay Districts, see Article 80. All use, dimensional, and other provisions applicable to the underlying subdistricts are applicable within the Neighborhood Design Overlay Districts.

The following Neighborhood Design Overlay District is established:

1. Columbus Avenue Neighborhood Design Overlay District. The Columbus Avenue area has a few structures that showcase some examples of commercial construction. One hundred Arlington Street is a prime example of a Classic Revival building showing the influence of machine-

like Moderne aesthetic. It has a stylized frieze below the parapet wall at the roof and multi-pane bronze and iron windows in round-arched openings on the first floor. The detached Queen Anne building at 162-172 Columbus Avenue has a rectangular massing, granite block foundation.

REGULATIONS GOVERNING DESIGN

SECTION BV-15. **Design Review and Design Guidelines.** The Bay Village Neighborhood District includes land designated by the Boston Landmarks Commission as the Bay Village Historic District, pursuant to Chapter 772 of the Acts of 1975, which is subject to standards and criteria administered by the Boston Landmarks Commission. In addition, to ensure that growth in the Bay Village Neighborhood District established by this Article is compatible with the character of the buildings and urban design features of the neighborhood, design review by the Boston Redevelopment Authority is required for certain Proposed Projects through Large Project Review (Urban Design Component) or Small Project Review (Design Component), pursuant to Article 80 of this Code.

1. Applicability of Design Review. To determine whether a Proposed Project is subject to Large Project Review, see Section 80B-2 (Applicability of Large Project Review).

To determine whether a Proposed Project is subject to Small Project Review, see Section 80E-2 (Applicability of Small Project Review).

2. Design Guidelines. This Section BV-15.2 establishes the following design guidelines for those areas of the Bay Village Neighborhood District that are not subject to the Standards and Criteria for the Bay

Village Historic District, as issued by the Boston Landmarks Commission and amended from time to time:

- (a) Site planning, including location of buildings, open space, and vehicular access and parking areas, should be designed to enhance the street frontage and surrounding building and spaces.
- (b) Vehicular access and egress to and from a site should minimize traffic impacts on the adjacent roadways and provide safe visual access for drivers and pedestrians.
- (c) Parking, storage, and disposal areas should not be located in the front of buildings, unless there are special circumstances, such as existing building locations or site conditions, that make it necessary. Wherever practicable, such areas should be located behind buildings. Parking, storage, and disposal areas should be adequately screened from public view by suitable fencing and vegetation.
- (d) New or rehabilitated residential buildings should reflect and complement the patterns of height, siting, and architectural character of the surrounding residential structures. The removal or alteration of any historic architectural feature is discouraged.

- (e) New or rehabilitated commercial buildings should reflect and complement the patterns of height, siting, and architectural character of historically distinctive commercial buildings in the surrounding area.
- (f) In the rehabilitation of residential or commercial buildings, deteriorated architectural features should be repaired rather than replaced, wherever possible and appropriate. In the event that replacement is necessary, the new material should be compatible with the existing in composition, design, texture, and appearance. Repair or replacement of missing architectural features should be based, where appropriate, on accurate duplication of original features of the building to be rehabilitated or those of other buildings of the same style and period.
- (g) Contemporary design for residential structures shall not be discouraged, if such design is compatible with the size, material, and character of the surrounding neighborhood environment.
- (h) New residential construction should reflect the traditional location and relationship of buildings on their sites. This includes setbacks from streets, spacing among buildings, and orientation of facades to

the street and neighboring structures. A facade facing a Street should not consist of blank walls without windows. In addition, the location of buildings should respect significant landscape features on the site.

- (i) New residential construction should respect the standards of scale of existing residential construction in order to maintain the subdistrict's special qualities. Overall building height and massing, relationships of primary buildings to secondary buildings, and landscape elements all should be consistent with the surrounding architecture and environment.
- (j) Open spaces, building entrances, shop fronts, shop windows, shop entrances, terraces, gardens, arcades, and similar elements should be designed to enhance pedestrian activity and should encourage an active street life. Blank walls, without windows facing onto pedestrian areas, should be avoided to the extent practicable in building design. Consistency with the established local structure should be considered in the design of cornice and roof lines and wall articulation, including the design of bays and fenestration.

- (k) Storefronts and display windows should be open and welcoming to the shopper and stroller. Facade treatments, building materials, and design details should be in keeping with the area's finest commercial architecture. Street Wall continuity should be maintained.
- (l) Setbacks, corner treatments, and other design details should be used to minimize the sense of bulk of structures, and ornamental and decorative elements appropriate to the urban context are encouraged.
- (m) Roofs of buildings should be designed to minimize the visibility of roof structures normally built above the roof and not designed to be used for human occupancy, such as headhouses and mechanical equipment.
- (n) A zone for signs on the building facade should be established, defined by a change in facade color and/or materials, or by an articulation of the facade, and all permanent signs mounted on the building facade should be located within such sign band. In buildings with multiple stores, the sign band should be subdivided so that each section clearly relates to an individual store. Signs

should be designed and located so as not to obscure architectural elements or ornamental details of the building facade. Internally lit signs should be designed so as not to create a hazard or nuisance through excessive brightness, and such signs should be constructed so that bulbs, wires, and other lighting equipment located inside the sign are not visible through the face of the sign.

- (o) Landscaping and screening should be used to make the business subdistricts more attractive, and to provide screening between business and residential uses.
- (p) If a security grate is to be used on a building, it should be a grille rather than a roll-up steel door. Such security grate should be mounted inside rather than outside the building, if practicable, and if it must be mounted on the outside of the building, the box or other housing for such grate should be concealed in an appropriate manner. Security grates should be integrated into the design of the facade.
- (q) In addition to the foregoing, the design features of a Proposed Project should take into consideration any special characteristics of

the site and its location, and should enhance and reinforce any historic qualities of existing structures.

SECTION BV-16. Roof Structure Restrictions. In the Bay Village Neighborhood District, no roofed structure designed or used for human occupancy, access (except as allowed in the following paragraph), or storage, and no roof structure, headhouse, or mechanical equipment normally built above the roof and not designed or used for human occupancy, shall be erected or enlarged on the roof of an existing building used for a residential use, or originally built for such a use, if such construction relocates or alters the profile and/or configuration of the roof or mansard, unless after public notice and hearing and subject to Sections 6-2, 6-3, and 6-4, the Board of Appeal grants a conditional use therefor. In reaching its decision, the Board of Appeal shall consider whether such roof structure has the potential to damage the uniformity of height or architectural character of the immediate vicinity.

An open roof deck may be erected on the main roof of a building with a flat roof or a roof with a slope of less than five (5) degrees, provided that (a) such deck is less than one (1) foot above the highest point of such roof; (b) the total height of the building, including such deck, does not exceed the maximum building height allowed by this Article for the location of the building; (c) access is by roof hatch or bulkhead no more than thirty (30) inches in height above such deck, unless after public notice and hearing and subject to Sections 6-2, 6-3, and 6-4, the Board of

Appeal grants permission for a stairway headhouse; and (d) an appurtenant hand rail, balustrade, hatch, or bulkhead is set back horizontally, one (1) foot for each foot of height of such appurtenant structure, from a roof edge that faces a street more than twenty (20) feet wide.

Roof structures, headhouses, and mechanical equipment normally built above the roof and not designed or used for human occupancy shall be included in measuring the building height if the total area of such roof structures, headhouses, and mechanical equipment exceeds in the aggregate: (a) 330 square feet, if the total roof area of the building is 3,300 square feet or less; or (b) ten percent (10%) of the total roof area of the building, if such total roof area is greater than 3,300 square feet.

SECTION BV-17. Specific Design Requirements. Except as otherwise expressly provided in this Article or Code, the provisions of this Section BV-17 shall apply to Proposed Projects within those subdistricts specified in this Section BV-17, except to the extent that provisions for Street Walls and display windows have been addressed through Large Project Review or Small Project Review, pursuant to Article 80. The provisions of Article 6A shall be applicable to the provisions of this Section BV-17.

1. Street Wall Continuity. This Section BV-17.1 shall apply within the Bay Village Neighborhood District to any Proposed Project that includes the

erection of a new structure or the extension of an existing structure, where such extension changes the location of a Street Wall.

In any Proposed Project that is subject to this Section BV-17.1, each newly constructed or relocated Street Wall shall be built to be coextensive with the Building Line of the Block on which the Street Wall faces. If there is no determinable Building Line of said Block, then such Street Wall shall be built at a depth from the Street Line equal to that of the Building Line closest to the Street Line of the two blocks adjacent to said Block, facing the same Street.

If there is no determinable Building Line of either of said adjacent blocks, then the Proposed Project shall be deemed to be subject to the Design Component of Small Project Review for the limited purpose of determining an appropriate Street Wall location.

Except as otherwise provided in this Section BV-17.1, Street Walls shall be continuous across a Lot. Bay Windows may extend from the Street Wall plane above the Ground Floor Ceiling Height, provided that such Bay Windows do not affect more than forty percent (40%) of the Street Wall plane.

For Proposed Projects that are subject to or elect to comply with Large Project Review or Small Project Review, recesses and bays shall be permitted if appropriate to the creation of visually interesting designs or the accommodation of a specific ground level function, provided that

the facade remains compatible with its historical and architectural surroundings and visual continuity in the Block front is preserved, as certified by the Boston Redevelopment Authority in accordance with the Urban Design Component of Large Project Review or the Design Component of Small Project Review.

2. Display Window Area Regulations in Neighborhood Business Subdistricts.

This Section BV-17.2 shall apply in the Neighborhood Business Subdistricts to any Proposed Project for the uses specified in this Section BV-17.2. For the purposes of these Display Window Area Regulations, the term "Display Window Area" means that area of any Street Wall between Grade and (i) the Ground Floor Ceiling Height (or the roof structure of a one-story structure), or (ii) fourteen (14) feet, whichever is lower, and excludes any area of the Street Wall serving as access to off-street loading berths or accessory off-street parking.

(a) Display Window Area Transparency. That portion of the Display Window Area required by this Section BV-17.2(a) to be transparent glazing shall not be obstructed more than thirty percent (30%) by signs on or behind such glazing.

(i) For Retail Uses, Restaurant Uses, Service Uses, and Trade Uses, at least sixty percent (60%) of the Display Window Area shall be glazed and transparent. Sill heights for windows in

the Display Window Area shall be no higher than two (2) feet above Grade, and the tops of such windows shall be no lower than eight (8) feet above Grade.

- (ii) For Office Uses and Entertainment Uses, at least fifty percent (50%) of the Display Window Area shall be glazed and transparent. Sill heights for windows in the Display Window Area shall be no higher than three (3) feet above Grade, and the tops of such windows shall be no lower than eight (8) feet above Grade.

- (b) Display Window Area Usage. For Retail Uses, Service Uses, Office Uses, and Trade Uses, there shall be, to a depth of at least two (2) feet behind the Display Window Area: (i) an area for the display of goods and services available for purchase on the premises; or (ii) an area for exhibits and announcements; provided, however, that no such areas shall be required for a display window that provides pedestrians with a view of the Retail Use, Service Use, Office Use, or Trade Use conducted on the premises.

- (c) Display Window Security Grates. That portion of the Display Window Area required by Section BV-17.2(a) to be transparent

glazing shall not be obstructed by a solid opaque security grate. Security grates that provide pedestrians with a view through the display window, such as grill-type security grates, may be used. Security grates should be integrated into the design of the storefront. Wherever practicable, security grates should be mounted inside the building, rather than outside, and if a security grate must be mounted on the outside of the building, the box or other housing for such grate should be concealed in an appropriate manner.

SECTION BV-18. Screening and Buffering Requirements. In order to enhance the appearance of the Bay Village Neighborhood District and to ensure that its commercial areas are appropriately separated from adjacent areas, the screening and buffering requirements of this Section BV-18 shall apply in the Neighborhood Business Subdistricts to those Proposed Projects described in this Section BV-18, except where provisions for adequate screening and buffering have been established for a Proposed Project through Large Project Review or Small Project Review, pursuant to Article 80. The provisions of Article 6A shall apply to the provisions of this Section BV-18.

1. Screening and Buffering of Parking, Loading, and Storage Areas. Any off-street parking facility or lot, off-street loading area, or accessory storage area that abuts (a) a public street, (b) a public park, (c) a

Residential Subdistrict or Residential Use, shall be screened from view as provided in this Section BV-18.1. Such screening shall consist of trees and shrubs densely planted in a strip at least five (5) feet wide on the inside edge of a steel-picket or stockade or board-type wooden fence. Such fence shall not be more than fifty percent (50%) opaque and shall be no less than three (3) feet and no more than four (4) feet high. The planting strip shall be separated from any parking area by a curb six (6) inches in height.

Any material or equipment stored outdoors to a height greater than four (4) feet above Grade shall be surrounded by a wall or fence or vegetative screen of such height, not less than six (6) feet high, as may be necessary to screen such material or equipment from view from any public street or public open space.

2. Screening of Disposal Areas and Certain Equipment. Disposal areas, dumpsters, and ground-mounted mechanical equipment that abut (a) a public street, (b) a public park, or (c) a Residential Subdistrict or Residential Use, shall be screened from view as provided in this Section BV-18.2. Disposal areas and dumpsters shall be screened with an opaque wall or fence at least six (6) feet high or by vegetation. Ground-mounted mechanical equipment shall be screened with an opaque wall or fence sufficiently high to provide effective screening.

3. Roof-Mounted Mechanical Equipment. Roof-mounted mechanical equipment shall be painted to blend with adjacent or nearby building materials or shall be screened by wood, brick, or similar material.

4. Materials for Walls and Fences. Walls and fences may be made of one or more materials, such as masonry (piers or walls), iron pickets, decorative metal, wrought iron, shadow box, vinyl coated or galvanized chain link with or without redwood strips woven through it, or stockade or board-type wood. The use of chain link fencing without wooden strips is discouraged except on small areas not facing a public street or public park. The use of plywood sheeting also is discouraged. Two or more materials may be used in combination with each other, and piers and walls may be used in combination with fences.

5. Specifications for Plantings. Shrubs required by this Section BV-18 may be deciduous or evergreen, or a mixture of both types. Shrubs must be densely planted to provide a mature appearance within three (3) years. Trees required by this Section BV-18 may be evergreen or a combination of deciduous and evergreen. Deciduous trees shall be at least three (3)-inch caliper at the time of planting (measured six (6) to twelve (12) inches above Grade) and shall be at least twelve (12) feet tall and planted fifteen to twenty (15-20) feet on center, and evergreen trees shall

be at least twelve (12) feet tall and planted twelve to fifteen (12-15) feet on center. Ground cover consisting of grass or other plantings or four to six (4-6) inches of pine-bark or similar mulch shall be placed within the planting strip at the time of planting and replenished as necessary. Existing mature trees and shrubs should be retained when possible. The use of bulbs, perennials, and annuals also is encouraged.

6. Maintenance of Landscaped Areas. Landscaping required by this Section BV-18 shall be maintained in a healthy growing condition, free of refuse and debris. All plant materials and fencing shall be arranged and maintained so as not to obscure the vision of traffic. There shall be no parking of vehicles in areas used for screening and buffering. Outside storage of any materials, supplies, or products is not permitted within any landscaped area required by this Section BV-18.

MISCELLANEOUS PROVISIONS

SECTION BV-19. **Sign Regulations.** The provisions of this Section BV-19 shall apply to all Proposed Projects except to the extent that sign requirements have been established through Large Project Review or Small Project Review, pursuant to Article 80.

1. Sign Regulations Applicable in Residential Subdistricts, and Open Space Subdistricts. In all Residential Subdistricts and Open Space Subdistricts, there shall not be any Sign except as provided in Article 11 for Signs in residential districts.
2. Sign Regulations Applicable in All Subdistricts Other Than Residential and Open Space. In all subdistricts other than Residential Subdistricts and Open Space Subdistricts, there shall not be any Sign except as provided in Article 11 for Signs outside residential districts and as provided in this Section BV-19. Notwithstanding any provision of Section 11-2 to the contrary, the following regulations shall apply:
 - (a) Signs Parallel to Building Wall. For Signs parallel to a Building wall, including Signs painted on or affixed to awnings, canopies, marquees, security grate housings, or other Building projections, but not including Signs on windows above the first floor, free-standing Signs, directional Signs, and public purpose Signs listed in items (g) through (k) of Section 11-1, the total Sign Area, in square feet, shall

not exceed the lesser of the Sign Frontage multiplied by two (2), or forty-five (45) square feet. No such Sign shall measure more than thirty (30) inches from top to bottom. No part of any such Sign shall be located less than two (2) feet from either edge of the Building wall to which such Sign is parallel, provided that, if the Sign Frontage is shorter than the length of such Building wall, no part of any such Sign shall be located less than two (2) feet from either end of that portion of such Building wall that is used to measure the Sign Frontage.

The bottom of any such Sign should be at least eight (8) feet above Grade. Where the Building wall includes a Sign band, Signs parallel to such wall should be located within such band whenever practicable.

- (b) Signs Attached at Right Angles to Building. A Sign attached at right angles to a Building shall not have a Sign Area in excess of four (4) square feet on either face; except that an additional four (4) square feet on each face is allowed for a Sign that incorporates a public service message device, such as a time and temperature Sign, provided such public service message device operates no less than seventy-five percent (75%) of every hour.

- (c) Free-standing Signs. Free-standing Signs are forbidden in the Bay Village Neighborhood District.
- (d) Billboards. Any billboard, signboard, or other advertising subject to the provisions of Section 11-6, except those legally in existence as of the effective date of this Article, is forbidden in the Bay Village Neighborhood District.
- (e) Total Sign Area. The total Sign Area, in square feet, of all permanent Signs, except for signs on windows above the first floor, directional signs, and public purpose signs listed in items (g) through (k) of Section 11-1, shall not exceed the Sign Frontage multiplied by two (2).
- (f) Display of Permit Number and Posting Date. Each permanent Sign, including any Sign painted on or affixed to an awning, canopy, or marquee, shall display the Sign's building permit number clearly but unobtrusively, in letters and numbers not exceeding one (1) inch in height. Temporary signs shall display the date of posting.

SECTION BV-20. Off-Street Parking and Loading Requirements. For any Proposed Project that is subject to or has elected to comply with Large Project

Review, any required off-street parking spaces and off-street loading facilities shall be determined through such review in accordance with the provisions of Article 80. For all other Proposed Projects, the minimum required off-street parking spaces, if any, are as set forth in Table C, and the minimum required off-street loading spaces are as set forth in Table D. See also Section 3-1A.c, concerning regulations applicable in the Restricted Parking District.

1. Outdoor Uses. For the purpose of computing required off-street parking spaces, where a main use on a Lot is an open-air use not enclosed in a Structure, the area of the part of the Lot actually devoted to such open-air use shall constitute floor area.
2. Pre-Code Structures. If a Structure existing on the effective date of this Article is altered or extended so as to increase its gross floor area or the number of dwelling units, only the additional gross floor area or the additional number of dwelling units shall be counted in computing the off-street parking facilities required.
3. Mixed Uses. If a Lot includes multiple uses, then the required number of off-street parking spaces for such Lot shall be the total of the required number of off-street parking spaces for each use, and the required number of off-street loading spaces for such Lot shall be the total of the required number of off-street loading spaces for each use.

4. Location.

- (a) Off-street parking and loading spaces shall not be located in any part of the Front Yards or landscaped areas required by this Article.
- (b) Except in the case of a Lot serviced by a common parking facility, the off-street parking facilities required by this Section BV-20 shall be provided on the same Lot as the main use to which they are accessory; provided, however, that if the Board of Appeal shall be of the opinion that this is impractical with respect to a particular Lot, said Board, after public notice and hearing and subject to the provisions of Sections 6-2, 6-3, and 6-4, may grant permission for such facilities to be on another Lot in the same ownership where the main use on a Lot is for Residential Uses, and the other Lot is within four hundred (400) feet of that Lot.
- (c) After public notice and hearing and subject to the provisions of Sections 6-2, 6-3 and 6-4, the Board of Appeal may grant permission for a common parking facility cooperatively established and operated to service two or more uses of the same or different types; provided that there is a permanent allocation of the requisite number of spaces for each use, and that the total number of spaces is not less than the aggregate of the number of spaces required for

each use, unless the Board of Appeal determines that a reduction in the total number of required off-street parking spaces is appropriate because shared parking arrangements, in which parking spaces are shared by different uses for which peak parking use periods are not coincident, will adequately meet the parking demand associated with the Proposed Project.

5. Design. All off-street parking facilities provided to comply with this Article shall meet the following specifications:
 - (a) Such facilities shall have car spaces to the number specified by this Article, maneuvering areas and appropriate means of vehicular access to a street, and shall be so designed as not to constitute a nuisance or a hazard or unreasonable impediment to traffic. Such facilities shall be Accessible to physically handicapped persons. All lighting for such facilities shall be arranged so as to shine downward and away from streets and residences.
 - (b) Such facilities, whether open or enclosed in a structure, shall be so graded, surfaced, drained, and maintained as to prevent water and dust therefrom from going upon any street or another Lot.

(c) Such facilities shall not be used for automobile sales, dead storage, or repair work, dismantling, or servicing of any kind.

(d) Each car space shall be located entirely on the Lot. Fifty percent (50%) of the required spaces may be no less than seven (7) feet in width and eighteen (18) feet in length, and the remainder shall be no less than eight and one half (8-1/2) feet in width and twenty (20) feet in length, in both instances exclusive of maneuvering areas and access drives.

6. Maintenance. All off-street parking facilities provided to comply with this Article shall be maintained exclusively for the parking of motor vehicles so long as a use requiring them exists. Such facilities shall be used in such a manner as at no time to constitute a nuisance or a hazard or unreasonable impediment to traffic.

SECTION BV-21. Application of Dimensional Requirements.

1. Conformity with Existing Building Alignment. If at any time in the same Block as a Lot required by this Article to have a minimum Front Yard there exist two or more Buildings fronting on the same side of the same Street as such Lot, instead of the minimum Front Yard depth specified in

this Article, the minimum Front Yard depth shall be in conformity with the Existing Building Alignment of the Block.

2. Traffic Visibility Across Corner. Whenever a minimum Front Yard is required and the Lot is a Corner Lot, no Structure or planting interfering with traffic visibility across the corner, or higher, in any event, than two and one-half (2-1/2) feet above the curb of the abutting Street, shall be maintained within that part of the required Front Yard that is within the triangular area formed by the abutting side lines of the intersecting Streets and a line joining points on such lines thirty (30) feet distant from their point of intersection.
3. Front Wall of Building Not Parallel to Front Lot Line. If the front wall of a Building is not parallel to the Front Lot Line, but the average distance between such wall and such Lot Line is no less than the minimum Front Yard depth otherwise required by this Article, and the distance between such wall and such Lot line is at no point less than three fourths (3/4) of the minimum Front Yard depth so otherwise required, the Front Yard requirements of this Article shall be deemed to be met.
4. Special Provisions for Corner Lots. If a Lot abuts more than one Street, the requirements for Front Yards shall apply along every Street Line

except as otherwise provided in this Section BV-21. The Front Yard requirements of this Article, and not the Side Yard requirements, shall apply to that part of a side Lot line that is also a Street Line extending more than one hundred (100) feet from the intersection of such line with another Street.

5. Side Wall of Building Not Parallel to Side Lot Line. If the side wall of a Building is not parallel to the side Lot line nearest to it, but the average distance between such wall and such Lot line is no less than the minimum Side Yard width otherwise required by this Article, and the distance between such wall and such Lot line is at no point less, in the case of a side Lot line that is not also a Street Line, than three-fourths ($3/4$) of the minimum Side Yard width so otherwise required, and in the case of a side Lot line that is also a Street Line, than one-half ($1/2$) of the minimum Side Yard width so otherwise required, the Side Yard requirements of this Article shall be deemed to be met.
6. Side Yards of Certain Narrow Lots. For each full foot by which a Lot existing at the time this Article takes effect is narrower than (i) the minimum Lot Width specified for such Lot in this Article, or (ii) fifty (50) feet if no minimum Lot Width is so specified, a deduction of one and one half ($1-1/2$) inches shall be made from the width otherwise required by

this Article for each Side Yard of such Lot; provided that in no event shall either Side Yard of any such Lot be less than seven (7) feet wide. No Side Yard in which there is a driveway providing access to off-street parking or off-street loading facilities required by this Article shall be less than ten (10) feet wide.

7. Accessory Buildings in Side or Rear Yard. Accessory Buildings may be erected in a Side or Rear Yard; provided that no such Accessory Building is more than fifteen (15) feet in height, or nearer than four (4) feet to any side or rear Lot line, or closer than sixty-five (65) feet to the front Lot line.
8. Rear Wall of Building Not Parallel to Rear Lot Line. If the rear wall of a Building is not parallel to the Rear Lot Line, and the Rear Lot Line is not also a Street Line, but the average distance between such wall and such Lot Line is no less than the minimum Rear Yard depth otherwise required by this Article, and the distance between such wall and such Lot line is at no point less than three fourths (3/4) of the minimum Rear Yard depth so otherwise required, the Rear Yard requirements of this Article shall be deemed to be met.

9. Rear Yards of Through Lots. The Front Yard requirements of this Article, and not the Rear Yard requirements, shall apply to that part of a Rear Yard that is also a Street Line, except in the case of a Rear Yard that abuts a Street less than twenty (20) feet in width.
10. Rear Yards of Certain Shallow Lots. For each full foot by which a Lot existing at the time this Article takes effect is less than one hundred (100) feet deep, six (6) inches shall be deducted from the depth otherwise required by this Article for the Rear Yard of such Lot; provided that in no event shall the Rear Yard of any such Lot be less than fifteen (15) feet deep.
11. Underground Encroachments in Yards. Any garage or other accessory Structure erected underground within any Rear Yard or Side Yard required by this Article, including the piers, railings, and parapets of such Structure, shall not extend more than five (5) feet above Grade.
12. Two or More Dwellings on Same Lot. Where a Dwelling (other than a temporary Dwelling) designed for occupancy or occupied by one or more families is on the same Lot as, and to the side of, another Dwelling or other Main Building, the distance between such Dwelling and such other Dwelling or Main Building shall be not less than twice the minimum Side

Yard depth required by this Article for such other Dwelling or Main Building; and the requirements of this Article with respect to Lot Area, Lot Width, Lot Frontage, Usable Open Space, Front Yard, Rear Yard, and Side Yards shall apply as if such Dwelling were on a separate Lot. A Dwelling shall not be built to the rear of another Dwelling, Accessory Building, or Main Building. After public notice and hearing and subject to the provisions of Section 6-2, the Board of Appeal may grant permission for a variation from the requirements of this Section BV-21.12 if it finds that open space for all occupants, and light and air for all rooms designed for human occupancy, will not be less than would be provided if the requirements of this Section BV-21.12 were met.

13. Two or More Buildings on One Lot. If on one Lot there are two or more Main Buildings other than Dwellings, including temporary Dwellings, the yard requirements of this Article shall apply at each actual Lot line and not as if each Building were on a separate Lot.
14. Exceptions to FAR Requirement. A new Town House or Row House on a single Lot of 2,500 square feet or less may exceed the allowable FAR to the extent necessary to match the Building Height and the Front and Rear Yards of an adjacent Town House or Row House. Existing Building Alignment shall be used to determine Front Yard depth of the new Town

House or Row House. Rear Yard depth shall be determined by measuring from the rear wall of the main structure, exclusive of any additions or ells, of the adjacent Town House or Row House to the Rear Lot Line.

SECTION BV-22. Nonconformity as to Dimensional Requirements. A

Building or use existing on the effective date of this Article and not conforming to the applicable dimensional requirements specified in other provisions of this Article may nevertheless be altered or enlarged, provided that such nonconformity is not increased and that any enlargement itself conforms to such dimensional requirements.

SECTION BV-23. Regulations. The Boston Redevelopment Authority may promulgate regulations to administer this Article.

SECTION BV-24. Severability. The provisions of this Article are severable, and if any provision of this Article shall be held invalid by any decision of any court of competent jurisdiction, such decision shall not impair or otherwise affect any other provision of this Article.

SECTION BV-25. Definitions. Words and phrases in this Article have the meanings set forth in Article 2A.

SECTION BV-26. **Tables.** The following tables are hereby made part of this

Article:

Table A Use Regulations

- A - Residential Subdistricts and
 Neighborhood Business Subdistricts

Table B Dimensional Regulations

- B - Residential Subdistricts and
 Neighborhood Business Subdistricts

Tables C - D Parking and Loading Regulations

- C - Off-Street Parking
- D - Off-Street Loading

Bay Village Neighborhood District
Use Regulations in
Residential Subdistricts and Neighborhood Business Subdistricts

Key: A = Allowed, C = Conditional, F = Forbidden
 For definitions of use categories and certain specific uses, see Article 2A.
 For summary of requirements applicable to Institutional Uses, see Note 1.

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Banking and Postal Uses</u>				
Automatic teller machine	F	A ²	F	A
Bank	F	A ²	F	A
Drive-in bank	F	F	F	F
Post office	F	C ²	F	C
<u>Community Uses</u>				
Adult education center	F	C ²	F	C
Community center	F	C ²	F	C
Day care center	F	C ²	F	C
Day care center, elderly	F	C ²	F	C
Library	F	C	F	A
Place of worship; monastery; convent; parish house	A	A	A	A

TABLE A

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Cultural Uses</u>				
Art gallery	F	A ²	F	A
Art use	F	C ²	F	C
Auditorium	F	F	F	C
Cinema	F	F	F	F
Concert hall	F	F	F	F
Museum	F	F	F	C
Public art, display space	F	C ²	F	C
Studios, arts	F	C ²	F	C
Studios, production	F	C ²	F	C
Theatre	F	F	F	F
Ticket sales	F	F	F	F
<u>Dormitory/Fraternity Uses</u>				
Dormitory not accessory to a use	F	F	F	F
Fraternity	F	F	F	F
<u>Educational Uses</u>				
College or university ¹	F	F	F	F
Elementary or secondary school ³	F	C	F	C
Kindergarten	F	C	F	C
Professional school	F	F	F	F
Trade school	F	F	F	F

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Entertainment and Recreational Uses</u>				
Adult entertainment	F	F	F	F
Amusement game machines in commercial establishment	F	F	F	F
Amusement game machines in non-commercial establishment	F	F	F	F
Bar ¹⁴	F	F	F	F
Bar with live entertainment	F	F	F	F
Bowling alley	F	F	F	F
Billiard parlor	F	F	F	F
Dance hall	F	F	F	F
Drive-in theatre	F	F	F	F
Fitness center or gymnasium	F	F	F	C
Private club not serving alcohol	F	F	F	F
Private club serving alcohol	F	F	F	F
Restaurant with live entertainment, not operating after 10:30 p.m. ¹⁴	F	F	F	F
Restaurant with live entertainment, operating after 10:30 p.m.	F	F	F	F
<u>Funerary Uses</u>				
Cemetery	F	F	F	F
Columbarium	F	F	F	F
Crematory	F	F	F	F
Funeral home	F	F	F	F
Mortuary chapel	F	F	F	F

TABLE A

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Health Care Uses</u>				
Clinic	F	F	F	F
Clinical laboratory	F	F	F	F
Custodial care facility	F	F	F	F
Group care residence, general	F	F	F	F
Hospital ¹	F	F	F	F
Nursing or convalescent home ¹	F	F	F	C
<u>Hotel and Conference Center Uses</u>				
Bed and breakfast	F	F	F	C
Conference center	F	F	F	C
Executive suites	F	F	F	F
Hotel	F	F	F	F
Motel	F	F	F	F
<u>Industrial Uses</u>				
Artists' mixed-use	F	C	F	C
Cleaning plant	F	F	F	F
General manufacturing use	F	F	F	F
Light manufacturing use	F	F	F	F
Printing plant	F	F	F	F
Restricted industrial use	F	F	F	F

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Office Uses</u>				
Agency or professional office	F	A ²	F	A
General office	F	C ²	F	C
Office of wholesale business	F	F	F	F
<u>Open Space Uses</u>				
Golf driving range	F	F	F	F
Grounds for sports, private	F	F	F	F
Open space	A	A	A	A
Open space recreational building	C	C	C	C
Outdoor place of recreation for profit	F	F	F	F
Stadium	F	F	F	F
<u>Public Service Uses</u> ³				
Automatic telephone exchange	F	F	F	C
Courthouse	F	F	F	F
Fire station	F	C	C	C
Penal institution	F	F	F	F
Police station	F	C	C	C
Pumping station	F	F	F	F
Recycling facility (excluding facilities handling toxic waste)	F	F	F	F
Solid waste transfer station	F	F	F	F
Sub-station	F	F	F	F
Telephone exchange	F	F	F	C

TABLE A

	Row House Subdistrict† (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
Research and Development Uses ⁴				
Research laboratory	F	F	F	F
Product development or prototype manufacturing	F	F	F	F
Residential Uses ⁵				
Congregate living complex	F	F	F	C
Elderly housing	F	C	F	A
Group residence, limited	A	A	A	A
Lodging house	F	F	F	F
Mobile home	F	F	F	F
Mobile home park	F	F	F	F
Multi-family dwelling	A ¹⁶	A	A	A
One family detached dwelling	F	F	A	F
One family semi-attached dwelling	F	C	A	F
Orphanage	F	F	F	F
Rowhouse	A	A	A	A
Temporary dwelling structure	C	C	C	C
Three family detached dwelling	F	F	A	F
Townhouse	A	A	A	A
Transitional housing or homeless shelter	F	F	F	F
Two family detached dwelling	F	F	A	F
Two family semi-attached dwelling	F	C	A	F

	Row House Subdistricts (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Restaurant Uses</u>				
Drive-in restaurant	F	F	F	F
Restaurant	F	C ²	F	C
Take-out restaurant				
Small ⁶	F	F	F	F
Large ⁷	F	F	F	F
<u>Retail Uses⁸</u>				
Adult bookstore	F	F	F	F
Bakery	F	A ²	F	A
General retail business	F	F	F	C
Liquor store	F	F	F	C
Local retail business	F	A ^{2,15}	F	A ¹⁵
Outdoor sale of garden supplies	F	F	F	C
<u>Service Uses⁸</u>				
Animal hospital	F	F	F	F
Barber or beauty shop	F	C ²	F	A
Caterer's establishment	F	C ²	F	C
Check cashing business	F	F	F	F
Container redemption center	F	F	F	F
Dry-cleaning shop	F	A ^{2,15}	F	A
Kennel	F	F	F	F
Laundry, retail service	F	A ^{2,15}	F	A
Laundry, self-service	F	A ^{2,15}	F	A

TABLE A

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Service Uses⁸ (cont'd)</u>				
Photocopying establishment	F	A ^{2,15}	F	A
Shoe repair	F	A ^{2,15}	F	A
Tailor shop	F	A ^{2,15}	F	A
<u>Storage Uses, Major</u>				
Enclosed storage of solid fuel or minerals	F	F	F	F
Outdoor storage of solid fuel or minerals	F	F	F	F
Outdoor storage of new materials	F	F	F	F
Outdoor storage of damaged or disabled vehicles	F	F	F	F
Outdoor storage of junk and scrap	F	F	F	F
Storage of flammable liquids and gases	F	F	F	F
Small ⁹	F	F	F	F
Large ⁹	F	F	F	F
Storage or transfer of toxic waste	F	F	F	F
Warehousing	F	F	F	F
Wrecking yard	F	F	F	F
<u>Trade Uses⁸</u>				
Carpenters shop	F	F	F	F
Electrician's shop	F	F	F	F
Machine shop	F	F	F	F

	Row House Subdistrict (MFR)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (RH)	Neighborhood Shopping (NS)
--	-----------------------------------	---	------------------------------------	----------------------------------

Trade Uses⁸ (cont'd)

Photographer's studio	F	F	F	A
Plumber's shop	F	F	F	F
Radio/television repair	F	F	F	A
Upholsterer's shop	F	F	F	C
Welder's shop	F	F	F	F

Transportation Uses

Airport	F	F	F	F
Bus terminal	F	F	F	F
Garage with dispatch	F	F	F	F
Helicopter landing facility	F	F	F	F
Motor freight terminal	F	F	F	F
Rail freight terminal	F	F	F	F
Railroad passenger station	F	F	F	F
Water terminal	F	F	F	F

Vehicular Uses¹⁴

Airport-related remote parking facility	F	F	F	F
Bus servicing or storage	F	F	F	F
Carwash	F	F	F	F
Gasoline station	F	F	F	F
Indoor sale, with or without installation, of automotive parts, accessories and supplies	F	F	F	F

TABLE A

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (MFR)	Neighborhood Shopping (NS)
<u>Vehicular Uses</u> ¹⁴ (cont'd)				
Indoor sale of automobiles and trucks	F	F	F	F
Outdoor sale of new and used vehicles	F	F	F	F
Parking garage	F	F	F	C
Parking lot	F	F	F	F
Rental agency for cars	F	F	F	F
Rental agency for trucks	F	F	F	F
Repair garage	F	F	F	F
Truck servicing or storage	F	F	F	F
<u>Wholesale Uses</u>				
Wholesale business	F	F	F	F
<u>Accessory and Ancillary Uses</u>				

In each subdistrict of the Bay Village Neighborhood District, an accessory use ordinarily incident to a lawful main use is allowed, subject to the provisions of Article 10, unless such use is (i) specifically forbidden as a main use for such subdistrict in this Table A and (ii) not designated "A" or "C" for such subdistrict in the accessory use table below. In any event, an accessory use shall be subject to the same restrictions, conditions, limitations, provisos and safeguards as the use to which it is accessory.

Accessory amusement game machines in (not more than four) commercial or non-commercial establishment	F	F	F	F
Accessory art use	F	C ²	F	C
Accessory automatic teller machine	F	A ²	F	A
Accessory bus servicing or storage	F	F	F	F

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (RH)	Neighborhood Shopping (NS)
Accessory and Ancillary Uses (cont'd)				
Accessory cafeteria	F	F	F	C
Accessory cultural uses	F	C ²	F	C
Accessory dormitory	F	F	F	F
Accessory drive-through restaurant	F	F	F	F
Accessory drive-through retail	F	F	F	F
Accessory family day care home	C	C	C	A
Accessory home occupation	A	A	A	A
Accessory industrial use	F	F	F	F
Accessory keeping of animals other than laboratory animals	F	F	F	F
Accessory keeping of laboratory animals ⁴	F	F	F	F
Accessory machine shop	F	F	F	F
Accessory manufacture of products	F	F	F	F
Accessory offices	F	A ²	F	A
Accessory outdoor cafe ¹²	F	C	F	C
Accessory parking	A ¹⁷	A ¹⁷	A ¹⁷	A ¹⁷
Accessory personnel quarters	F	A	A	A
Accessory printing	F	F	F	F
Accessory professional office in a dwelling	A	A	A	A
Accessory railroad storage yard	F	F	F	F
Accessory repair garage	F	F	F	F
Accessory retail	F	A ²	F	A
Accessory recycling	F	F	F	F
Accessory services for apartment and hotel residents	F	A	F	A

TABLE A

	Row House Subdistrict (RH)	Multifamily Residential/ Local Services (MFR/LS)	Multifamily Residential (RH)	Neighborhood Shopping (NS)
<u>Accessory and Ancillary Uses (cont'd)</u>				
Accessory services incidental to educational uses other than a college or university use	F	F	F	C
Accessory service uses	F	C	F	A
Accessory storage of flammable liquids and gases				
Small ⁹	F	F	F	A
Large ⁹	F	F	F	F
Accessory storage or transfer of toxic waste	F	F	F	F
Accessory swimming pool or tennis court ¹⁰	C	A	A	A
Accessory trade uses	F	F	F	F
Accessory truck servicing or storage	F	F	F	F
Accessory wholesale business	F	F	F	F
Ancillary use ¹¹	C	C	C	C

1. Note regarding Institutional Uses. The Institutional Use categories "College or University Use," "Hospital Use," and "Nursing or Convalescent Home Use," are defined in Article 2A to include subuses (office, parking, etc.) that also appear as main uses in this Table A. If part of an Institutional Use, pursuant to the provisions of this Article and Article 2A, any such subuse shall be regulated as the pertinent Institutional Use. To determine whether the substitution of one such subuse for another constitutes a Proposed Institutional Project, and to determine whether a subuse is a High Impact Subuse, see the definition of the pertinent Institutional Use in Article 2A.
2. Where designated "A" or "C," provided that such use is located on the ground floor, or in a basement with a separate entrance; otherwise forbidden.
3. Where designated "A," provided that: (1) the requirements of St. 1956, c. 665, s.2, where applicable, are met; (2) the use is essential to service in the residential area in which it is located; and (3) in the case of a pumping station, substation, or automatic telephone exchange, no storage building or yard is maintained in connection with such use.
4. Provided that any such use shall comply with all the guidelines and standards promulgated by the National Institutes of Health concerning the care and use of laboratory animals.
5. Provided that Dwelling Units are forbidden in Basements.
6. Total gross floor area not more than 2,500 square feet per restaurant.
7. Total gross floor area exceeding 2,500 square feet per restaurant.
8. Where a Retail, Service or Trade Use is designated "A", it shall be conditional if merchandise is sold or displayed out-of-doors or if such establishment is open to the public after 12 midnight or before 6:00 a.m.
9. Small: storage of less than thirty thousand (30,000) gallons of flammable liquids or less than ten thousand (10,000) cubic feet of gases; Large: storage of thirty thousand (30,000) gallons or more of flammable liquids or ten thousand (10,000) cubic feet or more of gases.

TABLE A

10. Provided that such use is more than four (4) feet from every lot line, and in the case of a swimming pool, that it is protected by a fence at least six (6) feet in height with a gate locked from the outside, and that if the pool is within ten (10) feet of a lot line, the fence is concealing to a height of at least six (6) feet.
11. Provided that any such use shall be subject to the same restrictions, conditions, limitations, provisos and safeguards as the use to which is it ancillary.
12. Except condition in Rear Yard abutting Residential Subdistrict.
13. Where such use is designated "A," or "C," provided that all washing, painting, lubricating, and making of repairs is carried on inside a building that such establishment is sufficiently sound insulated to confine all noise to the lot; that all flashing, fumes, gases, smoke and vapor are effectively confined to the lot; and that there is no outdoor storage of damaged, disabled or unregistered motor vehicles for a period of more than month; otherwise forbidden.
14. Provided that, where such use is designated "C," any expansion of seating or standing capacity of such use is conditional, and where such use is designated "F," any expansion of seating or standing capacity of such use is forbidden.
15. Where a Retail, Service or Trade Use is designated "A", it shall be forbidden if such establishment is open to the public after 9:00 p.m. or before 7:00 a.m.
16. Subject to the limitations of Section BV-6.1 (concerning number of dwelling units allowed in a building in a Row House Residential Subdistrict).
17. Except conditional when accessory to certain nonresidential uses, as provided in a Restricted Parking District; see Section 3-1A.c.

TABLE B

Bay Village Neighborhood District

Residential Subdistricts
Dimensional Regulations

Subdistrict	Lot Area, Minimum for Dwell. Unit(s) Specified (Sq.Ft.)	Additional Lot Area for Ea. Addit'l Dwell. Unit (Sq.Ft.)	Lot Width Minimum (Feet)	Lot Frontage Minimum (Feet)	Floor Area Ratio Maximum	Building Height Maximum Stories	Usable Open Space ^b Minimum Sq. Ft. Per Dwelling Unit	Front Yard Minimum Depth (Feet)	Side Yard Minimum Width (Feet)	Rear Yard Minimum Depth (Feet)	Rear Yard Maximum Occupancy by Accessory Buildings (Percent)
<u>RH</u>											
Row House Building or Town House Building	none	none	15 none	15 none	2.0	3	150	(c)	none	12	25
Any Other use	none	none	15 none	15 none	2.0	3	150	(c)	none	12	25
<u>MFR and MFR/LS^{a,d}</u>											
Row House Building or Town House Building	none	none	15 none	15 none	2.0	3	150	(c)	none	12	25
Any Other Dwelling or use	none	none	15 none	15 none	2.0	3	150	(c)	none	12	25

TABLE B - Continued

Footnotes

- a. See Map ____ and Section BV-6.
- b. Applicable only to Residential Uses and Dormitory/Fraternity Uses.
- c. If at any time, in the same Block as a Lot, there exist two or more Buildings fronting on the same side of the same Street as such Lot, the minimum Front Yard depth for such Lot shall be in conformity with the Existing Building Alignment of the Block. A bay window may protrude into a front yard.
- d. Except 45ft. on the area to the west of Arlington Street

Bay Village Neighborhood District
Neighborhood Business Subdistricts
Dimensional Regulations

	<u>Neighborhood Shopping Subdistricts</u>
Maximum Floor Area Ratio	6.0
Maximum Building Height	65
Minimum Lot Size	none
Minimum Lot Area Per Dwelling Unit	none
Minimum Usable Open Space per Dwelling Unit	150
Minimum Lot Width	none
Minimum Lot Frontage	none
Minimum Front Yard (1)	(2)
Minimum Side Yard (3)	none
Minimum Rear Yard (4)	12

TABLE C - Continued

Footnotes:

1. In a required front yard, no plaza, terrace or public access to a basement (other than required by the State Building Code) shall be below the grade of the nearest sidewalk unless, after public notice and hearing and subject to the provisions of Article 6, the Board of Appeal grants a permit therefor.

Every front yard required by this code shall be at grade level along every lot line on which such yard abuts.
2. The minimum Front Yard depth for a Lot shall conform to the Existing Building Alignment of the Block on which the Lot is located if, at any time, there are two or more other Buildings on such Block fronting on the same side of the same street as such Lot. A bay window may protrude into a Front Yard.
3. No side yard is required except in the case of a lot with a side lot line abutting a Residential Subdistrict, which shall have side yards as if it were in such abutting district. Every side yard so required that does not abut a street line shall, along every lot line on which such yard abuts, be at a level no higher than that of the lowest window sill of the lowest room designed for human occupancy or so occupied, and relying upon natural light or natural ventilation from windows opening on such yard.
4. Every rear yard required by this code that does not abut a street line shall, along every lot line on which such yard abuts, be at a level no higher than the level of the lowest window sill in the lowest room designed for human occupancy or so occupied, and relying upon natural light or natural ventilation from windows opening on such yard.

TABLE D

**Bay Village Neighborhood District
Off-Street Parking Requirements (1)**

Residential and Related Uses

	Off Street Parking Requirement (space <u>per dwelling unit</u>) (2)(3)
<u>Dormitory/Fraternity Uses</u>	0.5
<u>Hotel and Conference Center Uses</u>	0.7
<u>Residential Uses</u> (3)	
Elderly Housing	0.5
Group Residence, Limited	0.5
Lodging House	0.5
Transitional Housing or Homeless Shelter	0.25
Other Residential Uses (4)(5)	0.7

1. The provisions of this Table D do not apply to Proposed Projects that are subject to Large Project Review. See Section BV-20 (Off-Street Parking and Loading Requirements).
2. Where a use is not divided into Dwelling Units:
 - (a) if sleeping rooms have accommodations for not more than two (2) persons, each group of two (2) sleeping rooms shall constitute a Dwelling Unit;
 - (b) if sleeping rooms have accommodations for more than two (2) persons, each group of four (4) beds shall constitute a Dwelling Unit.
3. Any dwelling converted for more families in separate dwelling units must meet not less than one-half the off-street parking requirements of this Table D.
4. Off-street parking facilities are not required unless more than two car spaces are required by this Table D.

TABLE D (continued)


5. For Dwelling Units qualifying as Affordable Housing, the off-street parking requirement shall be 0.7 parking spaces per Dwelling Unit.

TABLE E

**Bay Village Neighborhood District
Off-Street Loading Requirements (1)**

<u>Gross Floor Area</u>	<u>Required Off Street Loading Bays</u>
0-15,000 square feet	0
15,001-49,999 square feet	1.0

1. The provisions of this Table E do not apply to Proposed Projects that are subject to Large Project Review. See Section BV-20 (Off-Street Parking and Loading Requirements).



BERKELEY ST

ST JAMES AV

DRAFT

STUART ST

COLUMBUS AVE

STUART ST

NS U

SHAWMUT ST

RH

RH U

MFR

MFR

WINCHESTER ST

BROADWAY ST

MFR/LS

OS-UP

NS

PIEDMONT ST

RH

ARLINGTON ST

MFR/LS

PLY

EDGE-

PL

OS-UP

MELROSE ST T

LEY PL

DING- RH

JEFF-
ERSON ST

MFR

MFR/LS U

CHARLES ST S

COLUMBUS AVE

MFR/LS

OS-UP

ISABELLA ST

MFR/LS

MFR

CORTES ST

MFR

KNOX ST

MFR/LS

MFR U


TREMONT ST S

MARGINAL RD

DRAFT

BAY VILLAGE NEIGHBORHOOD ZONING - 9/20/97

NS	Neighborhood Service
MFR/LS	Multifamily Residential /Local Service
MFR	Multifamily Residential
RH	Row House
OS-UP	Open Space/Urban Plaza



BAY VILLAGE NEIGHBORHOOD ZONING



SEAL OF THE CITY.

By Chapter 7, Section 1, Revised Ordinances, passed December 29, 1882, it is provided that "the seal of the city shall bear a view of the city and the inscription: 'SICUT PATRIBUS SIT DEUS NOBIS. BOSTONIA CONDITA A.D. 1630. CIVITATIS REGIMINE DONATA A.D. 1822.'" A representation of the seal, as at present and for many years past in use, is given below. [For penalty of unauthorized use of city seal, see Pub. Stat. c. 205, § 6.]



The "Ordinance to Establish the City Seal," passed Jan. 2, 1823, provided as follows: — "That the design hereto annexed, as sketched by John R. Penniman, giving a view of the city, be the city seal; that the motto be as follows, to wit: 'SICUT PATRIBUS SIT DEUS NOBIS'; and that the inscription be as follows, to wit: 'BOSTONIA CONDITA A.D. 1630. CIVITATIS REGIMINE DONATA A.D. 1822.'" The original sketch by Mr. Penniman was discovered by the present City Treasurer among the papers of his department when he took possession in 1881. The design has been used since upon certain documents, and now appears on the treasury checks. A fac-simile of the sketch is presented in the preceding plate.





SEAL OF THE CITY.

By Chapter 7, Section 1, Revised Ordinances, passed December 29, 1882, it is provided that "the seal of the city shall bear a view of the city and the inscription: 'SICUT PATRIBUS SIT DEUS NOBIS. BOSTONIA CONDITA A.D. 1630. CIVITATIS REGIMINE DONATA A.D. 1822.'" A representation of the seal, as at present and for many years past in use, is given below. [For penalty of unauthorized use of city seal, see Pub. Stat. c. 205, § 6.]



The "Ordinance to Establish the City Seal," passed Jan. 2, 1823, provided as follows: — "That the design hereto annexed, as sketched by John R. Penniman, giving a view of the city, be the city seal; that the motto be as follows, to wit: 'SICUT PATRIBUS SIT DEUS NOBIS'; and that the inscription be as follows, to wit: 'BOSTONIA CONDITA A.D. 1630. CIVITATIS REGIMINE DONATA A.D. 1822.'" The original sketch by Mr. Penniman was discovered by the present City Treasurer among the papers of his department when he took possession in 1881. The design has been used since upon certain documents, and now appears on the treasury checks. A fac-simile of the sketch is presented in the preceding plate.







By Chapter 7, Section 1, Revised O passed December 29, 1882, it is provided seal of the city shall bear a view of the ci inscription: 'SICUT PATRIBUS SIT DEUS NO TONIA CONDITA A.D. 1630. CIVITATIS DONATA A.D. 1822.'" A representation c as at present and for many years past in us below. [For penalty of unauthorized use c see Pub. Stat. c. 205, § 6.]



The "Ordinance to Establish the City Se Jan. 2, 1823, provided as follows: — "That hereto annexed, as sketched by John R. giving a view of the city, be the city seal motto be as follows, to wit: 'SICUT PATRIBUS SIT DEUS NOBIS'; and that the inscription be to wit: 'BOSTONIA CONDITA A.D. 1630. REGIMINE DONATA A.D. 1822.'" The orig by Mr. Penniman was discovered by the p Treasurer among the papers of his depart he took possession in 1821. The design







Report Binder
Stock No./Color

80571	Black
80572	Lt. Blue
80573	Dk. Blue
80578	Rust
80579	Exec. Red

MADE IN THE USA

